



Introduction

DashCommand is an app that acts as an advanced in-car computer. It is currently available for Windows, iOS (iPhone/iPod Touch/iPad), and Android. At the time of this writing, the most recent version of DashCommand is v2.9.1.

DashCommand can display a lot of information that is missing from your vehicle's factory dashboard, as well as calculate additional data not available directly from your vehicle. All of this data can be customized to display using any number or combination of gauges, using our free SkinXL Tool -- or by downloading extra dashboards designed by other users.

Before we start, DashCommand is a read-only diagnostic logging tool. It cannot do any flashing, modifying, tuning, CASE relearns, injector tests, or any other bi-directional control.

Notice anything missing from this manual? Please contact support@palmerperformance.com and help us improve!

Main Menu

This is the first screen you will see when you start DashCommand, it allows you to access all of the different features DashCommand has to offer. There is an arrow button near the bottom to go to the second page, or you can use iPhone-style swiping gestures to go to the second page. The big red X button will completely close DashCommand. Unlike the Home button on your device, this will unload DashCommand from your phone's memory. Also, there is a status bar at the top showing your current connection status. A green circle on the left means you are connected to the vehicle, a red circle means not connected. In the center is the current time, and on the right is the current data logging status. It is a gray square for not logging, a green arrow for playback, and a red dot for recording. The available sub-screens are:

- [Connection](#)
- [Race Track](#)
- [Dashboards](#)
- [Inclinometer](#)
- [Skid Pad](#)
- [Diagnostics](#)
- [Vehicle Manager](#)
- [Console](#)
- [Data Logging](#)
- [Settings](#)




We'll go over each in more detail.



Connection

This main menu option attempts to open a connection to the vehicle. For most users, you'll want to have already selected a vehicle from the Vehicle Manager before you try to connect. Also, you will need to make sure you have the correct Interface Type selected in Settings.

If the connection was successful, the red circle in the status bar will turn green -- indicating you are currently connected. If this dot turns red at any point, the connection to the vehicle has been lost.



Race Track

The Race Track uses your phone's GPS to map your course around any track, anywhere. If you have cell data available, it will download the Google Maps image to use as the background. It also color codes your path. Green is acceleration, yellow is no acceleration / coasting, and red is braking. There is a Skid Pad visible at the bottom, as well as some information such as GPS calculated speed, GPS accuracy, and distance travelled as calculated by GPS. There is no limit to how long, or how far, the Race Track will map. It will never erase your previous course (unless you tell it to, by selecting Zero from the menu), and will automatically zoom out if you leave the screen area. It is only as accurate as the GPS in your device, some phones may be more accurate than others.



Dashboards

The Dashboards screen is the place you will likely spend most of your time in DashCommand. This is where you can view live data through a number of gauges called Skin Sets. A Skin Set is a collection of dashboards, each dashboard defining exactly **1 screens** worth of gauges. You can change to a different skin set at any time by going to Settings.

The default Tuxedo skin is a very complete, detailed skin showing nearly every gauge possibly available from your vehicle. Here is a brief overview of each:


- It has a Performance dashboard for RPM, speed, power, torque, and boost.
- It also has a Fuel Economy page showing your instant and average MPG, as well as an MPG graph over the last 3 hours. It has gauges for fuel level remaining, and distance to empty. You can press the Fuel Economy tab a second time to gain access to a sub menu with a reset button.
- There is a Trip Stats page showing a very large number of trip stats. Everything from min/max engine speed, to driving time, and even calculated CO2 emissions and fuel costs. Again, you can press this tab to reveal additional sub-trips, or a reset button.
- The Engine dashboard shows various engine health gauges. MAP, MAF, intake temp, timing advance, and fuel trims are just a few. You can touch the Engine tab again to get to the second Engine dashboard.
- The final dashboard, Fillup, is where you can enter fuel cost, and the number of gallons you added to the tank. This screen is **completely optional**, and is only used to help calibrate the fuel economy PIDs a little more. **IMPORTANT NOTE:** If you are not monitoring with DashCommand for the ENTIRE tank, DO NOT USE THIS SCREEN. Using this screen for an incomplete monitoring session will falsely, and drastically, skew your economy numbers.

Many gauges have a colored square in the corner -- you can touch these gauges to cycle between the current, min, and max values for that gauge. Also, a white/black dot in the corner of a gauge means there is an alternate way to display that gauge. Tapping these will switch to the alternate display (for example fuel level remaining in %, or in gallons).

Skid Pad


This Skid Pad uses the accelerometer built into the phone to calculate G-Forces in any given direction. It puts a dot at the corresponding point for every reading. DashCommand also saves Skid Pad data even while you are in a different screen, and draws it all onto the Skid Pad once you return. There is no limit to the amount of time you can monitor with the Skid Pad, and it will not ever erase your previous points. You can manually reset the Skid Pad points from the menu.

To avoid users having to perform a manual calibration, the Skid Pad automatically calibrates itself to your phone's orientation when you launch DashCommand. If you started DashCommand before you had the phone situated in your mount, go to the menu and select Zero to recalibrate. Also, because of the orientation sensitive nature of this feature, the orientation is locked to the current orientation while you are viewing the Skid Pad.





Inclinometer

This simple feature uses the accelerometer in your phone to calculate your current incline for you off-road fans. There are 2 different views available, and a Toggle View option in the menu switches between them. Just like the Skid Pad, you will need to Zero this screen if you started DashCommand while holding the phone.



Diagnostics

The Diagnostics page allows you to read and clear trouble codes, and view the current emission monitor status. Notice that clearing the trouble codes will also clear all emissions monitor data as is legally required. For a few select vehicles, you can only clear the trouble codes with the engine off (key on, engine not running). The Diagnostics view will give a short code description for all codes that are OBD-II standardized. Manufacturer-specific codes can still be read, but they will not have a description. Each monitor will be reported as passed, failed/not run, or not support. A passed monitor is indicated by a green checkmark, a failed monitor by a red x, and an unsupported monitor by a yellow circle.




Vehicle Manager

The Vehicle Manager is one of the first places you should visit in DashCommand. This creates and manages your list of vehicles. Data logs are stored according to the vehicle you have currently selected, as well as data such as the fuel economy history and trip stats. Supported PID lists and vehicle protocol are also saved. You can also revalidate the PIDs from the Vehicle Manager, which can (in certain cases) get you some extra PIDs. You should not need to validate the PIDs unless Palmer Performance Support has instructed you to do so. However, it will not hurt anything to try this on your own.

You should create a new vehicle for each new physical vehicle you connect to. Even 2 vehicles of the same model can have different PID sets. For iPhone, press the + button near the top to add a vehicle, or on Android press menu and select Add Vehicle. Tap on each field to enter the information about your vehicle, you can edit these later if you need to. You'll need to fill in the year, make, model, and engine type. You'll also want to fill in engine displacement, curb weight, fuel type, and fuel tank size -- your vehicle owner's manual will usually have this information. Only fill in vehicle settings if you are certain that you have the correct values. Anything you are unsure about just leave blank. If you enter an incorrect value it will skew the data calculations. Leave all "PID" Settings blank, unless told by Support to fill these in.

Certain vehicle settings are not applied until the next time you connect to the vehicle. If you are already connected, you will want to reconnect after changing vehicle settings.



Console

The Console shows debugging information and may also have extra details about a failed connection. You should not need to touch anything in the Console unless instructed to do so by Palmer Performance.

Data Logging

The Data Logging view is where some of you advanced data logging power-users might like to be. While you can data log from the Dashboards screen, only the data on the current dashboard (not the current Skin Set) will be saved. If you switch dashboards in the middle of a data logging session, the data will change to the new dashboard PID set. The Data Logging view allows you to exactly control which PIDs are being monitored or recorded. You can also see which PIDs are supported by your vehicle, by selecting Add PID and looking for SAE.XXX PIDs with a green checkmark. CALC.XXX PIDs are always shown as supported, and are calculated by DashCommand. Notice that Persistent PIDs (see Settings for more information) are monitored while in the Data Logging view, and will still be included in any log files you create.


The screenshot shows a 'Record' window with a list of monitored PIDs. Each entry includes a large numerical value, the PID name, and a range of values with directional arrows. At the bottom is a 'Start' button.

Value	PID Name	Range
2536 rpm	Engine RPM rpm	2727 rpm (max), 6138 rpm (min), 306 rpm (delta)
33 mph	Vehicle Speed Sensor mph	33 mph (max), 55 mph (min), 17 mph (delta)
201 °F	Engine Coolant Temperature °F	181 °F (max), 271 °F (min), -40 °F (delta)
70 °F	Intake Air Temperature °F	70 °F (max), 70 °F (min), 70 °F (delta)
3.53 lb/min	Air Flow Rate from Mass Air Flow Sensor lb/min	21.08 lb/min (max), 86.58 lb/min (min), 2.20 lb/min (delta)
	Ignition Timing Advance for #1	20.0 °

Start

Settings

The final chapter of this manual, the Settings screen. While you will spend the least time in Settings, it is the largest section of this manual. We'll go over each sub-section and give more information on what it is, and what it does.



Settings - General

Start in Dashboards

This setting, when enabled, will have DashCommand go straight to the Dashboards screen after launching.

Show Status Bar

This will turn on or off DashCommand's built-in status bar. This bar shows the clock, connection status, and current data logging status.

Fullscreen Mode

Fullscreen mode is where DashCommand will use the entire screen of your device. When on, it will hide the iOS/Android status bar to give more screen area to DashCommand.

Enable Demo mode

This will have many gauges sweep through some demo values while you are not connected to a vehicle. These numbers are completely fake, and are not based on any real vehicle. You should not expect to see numbers even remotely similar to these while using a real vehicle.

Loop playback

When turned on, this will loop your data log when it reaches the end, instead of ending playback and returning to normal data monitoring.

Settings - Dashboards

Selected Dashboard

Tapping this option allows you to select a different dashboard Skin Set. It shows a list of every Skin Set currently installed on your phone. You can also delete dashboards from this screen, by long-pressing the dashboard you wish to remove.

Download from DashXL.net

This is where you can download extra dashboard skin sets. You can view the list of skins uploaded by other users starting with the most recent, or search for something specific if you'd like.

Visit DashXL.net

This opens DashXL.net in your device's browser.

Settings - Connection

Auto connect

Auto connect will attempt to connect to your vehicle immediately upon opening DashCommand. This happens after loading and initializing DashCommand and the Vehicle Settings, but before the Start in Dashboards setting (if turned on).

OBD-II Interface Type

This is the type of interface you are using. Available interfaces types are ELM, Innovate Motorsports, or GoPoint Technology (iPhone only). You can also opt to view compatible hardware with your device's web browser. If you are unsure what type of interface you have, select ELM as a starting default.

OBD-II Data Port

This is the port used to connect to your interface. Most users will leave this set to AUTO, where it will automatically search for the most common interfaces such as the Kiwi WiFi, OBDLink WiFi, Innovate OT-2, OBDKey WLAN, and others. If you have an interface not specifically tested with DashCommand, you can still enter a custom IP address to connect to (which should be available from your hardware manufacturer). This setting only effects WiFi interfaces.

Aux Input Type

The Aux input type is used to determine what (if any) auxiliary input sensors you are using.

Most users will never use this setting, and should leave it set to None. If you are having trouble connecting to your vehicle, changing this setting **WILL NOT** increase your chances to connect through the OBD-II port.

Aux Input Only

Set this setting to connect only to auxiliary input sensors. This will make DashCommand completely ignore the OBD-II port -- even if one is available to connect to. Turning this on will stop all data from the OBD-II port. Again, it **WILL NOT** increase your chances of connecting.

Settings - Setup

Date & Time

Here you can configure the date and time formats used in the Trip stats dashboard in the default Tuxedo skin.

Currency

This setting will change the currency symbol displayed by the Tuxedo skin. Changing this setting will only change the symbol, it will not convert between different currencies.

Units

The Units settings will change the way the CALC PIDs and the Tuxedo dashboards display data. Here you can select between different English and Metric unit systems for many different types of data.

Settings - Parameters

Persistent PIDs

Persistent PIDs are PIDs that are monitoring the entire time DashCommand is running -- regardless of which screen or dashboard is currently being viewed. If you have an older phone and are noticing performance problems, start by turning this setting off.

Notice that disabling Persistent PIDs means that DashCommand will not track fuel economy data or trip stats unless you are viewing those dashboards respectively. If you are using DashCommand mainly for its enhanced fuel economy and trip data, you may want to leave this on (or remove all but the features you are wanting).